



i n v e n t

service

hp LaserJet 4200

4200n • 4200tn
4200dtn • 4200dtns • 4200dtnsl

hp LaserJet 4300

4300n • 4300tn
4300dtn • 4300dtns • 4300dtnsl

hp LaserJet 4200/4300 Series Printers

Service _____

Copyright Information

© Copyright Hewlett-Packard Company 2002

All Rights Reserved. Reproduction, adaptation, or translation without prior written permission is prohibited, except as allowed under the copyright laws.

Publication number: Q2431-90912

Edition 1, 08 2002

Warranty

The information contained in this document is subject to change without notice.

Hewlett-Packard makes no warranty of any kind with respect to this information. HEWLETT-PACKARD SPECIFICALLY DISCLAIMS THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Hewlett-Packard shall not be liable for any direct, indirect, incidental, consequential, or other damage alleged in connection with the furnishing or use of this information.

Trademark Credits

Adobe®, Acrobat®, PostScript™, and the Acrobat logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries/regions.

Microsoft®, MS-DOS®, and Windows® are U.S. registered trademarks of Microsoft Corp.

Netscape™ is a U.S. trademark of Netscape Communications Corporation.

TrueType™ is a U.S. trademark of Apple Computer, Inc.

ENERGY STAR® is a U.S. registered service mark of the United States Environmental Protection Agency.



FCC regulations

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy. If this equipment is not installed and used in accordance with the instructions, it may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase separation between equipment and receiver.
- Connect equipment to an outlet on a circuit different from that to which the receiver is located.
- Consult your dealer or an experienced radio/TV technician.

Any changes or modifications to the printer that are not expressly approved by HP could void the user's authority to operate this equipment.

Table of contents

List of figures

List of tables

1 Printer description

| | |
|--|----|
| Printer configurations | 3 |
| Model and serial numbers | 4 |
| Site requirements | 5 |
| Printer specifications | 5 |
| Environmental specifications | 7 |
| Paper specifications | 9 |
| Supported sizes and weights of media | 10 |
| Supported types of media | 14 |
| Labels | 16 |
| Overhead transparencies | 16 |
| Envelopes | 17 |
| Card stock and heavy paper | 18 |
| Types of print media to avoid | 19 |
| Safety information | 20 |
| Print cartridge and toner safety | 20 |
| Laser safety | 20 |
| Laser safety statement (U.S.) | 20 |
| EMI statement (Korea) | 21 |
| VCCI statement (Japan) | 21 |
| Laser statement (Finland) | 22 |
| Regulatory information | 23 |
| FCC regulations | 23 |
| Environmental product stewardship program | 24 |
| HP Printing Supplies Returns and Recycling program information | 25 |
| Declarations of Conformity | 26 |
| Declaration of Conformity | 26 |
| Canadian DOC regulations | 26 |

2 Service approach

| | |
|--|----|
| Service approach | 28 |
| Parts and supplies | 28 |
| Ordering information | 28 |
| Related documentation and software | 28 |
| Support | 28 |
| Print-cartridge information | 31 |
| Hewlett-Packard limited warranty statement | 32 |
| Limited warranty for toner cartridge life | 33 |

3 Printer operation

| | |
|--|----|
| Using the control panel | 36 |
| Control-panel layout | 36 |
| Control-panel lights | 36 |
| Control-panel buttons | 37 |
| Using the printer Help system | 37 |
| Settings and defaults | 38 |
| Setting the control-panel display language | 38 |
| Control-panel menus | 39 |
| Overview | 39 |
| Printing and changing control-panel menus | 39 |
| Retrieve Job menu | 41 |
| Information menu | 41 |
| Paper Handling menu | 42 |
| Configure Device menu | 44 |

4 Printer maintenance

| | |
|---|----|
| Cleaning the printer and accessories | 54 |
| Cleaning the fuser | 55 |
| Running the cleaning page manually | 56 |
| Running the cleaning page automatically | 57 |
| Cleaning spilled toner | 57 |
| Performing preventative maintenance | 58 |
| Resetting the maintenance-kit counter | 58 |
| Expected life of components | 59 |
| Maintaining the stapler unit | 60 |
| Removing and replacing the stapler unit | 60 |
| Loading staples | 62 |
| Downloading a remote firmware update | 63 |

5 Theory of operation

| | |
|--------------------------------------|-----|
| Introduction | 67 |
| Basic operation of the printer | 67 |
| General descriptions | 69 |
| DC controller PCA | 69 |
| Power supply | 71 |
| Laser/scanner assembly | 76 |
| Paper pickup system | 78 |
| Paper pickup and feed block | 79 |
| Printing from tray 1 | 80 |
| Printing from tray 2 | 82 |
| Media skew prevention | 85 |
| Fixing/delivery block | 86 |
| Printer jam detection | 87 |
| Printing from the 500-sheet feeder | 90 |
| Printing from the 1,500-sheet feeder | 92 |
| Envelope feeder | 95 |
| Envelope feeder jam detection | 97 |
| Duplexer | 98 |
| Duplexer jam detection | 100 |
| Stacker and stapler/stacker | 101 |
| Stacker | 103 |
| Stacker jam detection | 105 |
| Stapler/stacker | 106 |
| Stapler/stacker jam detection | 117 |

| | |
|--|-----|
| Image-formation system | 118 |
| Electrostatic latent-image formation | 120 |
| Formatter system | 127 |
| PowerSave | 127 |
| Resolution Enhancement technology | 127 |
| EconoMode | 128 |
| Input/output | 128 |
| Printer memory | 129 |
| PJM overview | 130 |
| PML | 130 |
| Control panel | 130 |

6 Removing and replacing parts

| | |
|--|-----|
| Removal and replacement strategy | 133 |
| Required tools | 133 |
| Before performing service | 133 |
| After completing service | 133 |
| Screws used in the printer | 134 |
| Parts-removal tree | 135 |
| Printer input tray, and cabinet wheel locks | 136 |
| User-replaceable parts | 137 |
| Print cartridge | 137 |
| Transfer roller | 138 |
| Tray 1 pickup roller | 139 |
| Tray 1 separation pad | 140 |
| Tray 2 feed rollers | 141 |
| Covers, tray 1, and the rear output bin | 143 |
| Accessory covers and the tray 2 extension door | 143 |
| Formatter cover | 145 |
| Top cover | 146 |
| Right-side cover | 149 |
| Left-side cover | 151 |
| Tray 1 | 152 |
| Rear output bin | 155 |
| Control-panel display | 156 |
| Control-panel overlay | 156 |
| Control-panel assembly | 157 |
| Internal components | 160 |
| Firmware DIMM | 160 |
| Formatter assembly | 161 |
| Fuser | 162 |
| Output delivery assembly | 163 |
| Duplexing pendulum assembly | 165 |
| Tray 2 media-size sensor | 167 |
| Main cooling fan (left side) | 168 |
| Cooling fan (right side; HP LaserJet 4300 series printer only) | 170 |
| Laser/scanner assembly | 173 |
| Print-cartridge motor (HP LaserJet 4300 series printer only) | 175 |
| Main motor | 177 |
| Tray 2 lifter-drive assembly | 179 |
| DC controller PCA | 181 |

| | |
|--|-----|
| Paper-pickup assembly, | 183 |
| Main drive assembly | 186 |
| Power supply | 188 |
| Paper-feed belt assembly | 191 |
| Tray 1 paper-pickup assembly | 192 |
| Paper feed assembly | 195 |
| Registration assembly | 198 |
| Transfer assembly | 200 |
| Accessories | 204 |
| 500-sheet feeder assembly | 204 |
| 1,500-sheet feeder assembly | 214 |

7 Troubleshooting

| | |
|---|-----|
| Introduction | 230 |
| Troubleshooting process | 231 |
| Initial troubleshooting checklist | 232 |
| Troubleshooting flowchart | 234 |
| Power-on checks | 236 |
| Troubleshooting tools | 239 |
| Information pages | 239 |
| Embedded Web server | 243 |
| Gaining access to the embedded Web server | 243 |
| Printer Status and Alerts software | 245 |
| Control-panel menus | 247 |
| Using control-panel menus | 247 |
| Resets submenu | 247 |
| Diagnostics menu | 248 |
| Service menu (service PIN codes) | 249 |
| Printer resets and power-on modes | 251 |
| Cold reset | 251 |
| NVRAM initialization | 251 |
| Hard-disk initialization | 252 |
| Power-on bypass | 252 |
| Test pages | 254 |
| Engine test page | 254 |
| Formatter test page | 254 |
| Interface troubleshooting | 255 |
| Communications checks | 255 |
| EIO troubleshooting | 255 |
| Display-message troubleshooting | 257 |
| Status messages | 257 |
| Warning messages | 257 |
| Error messages | 257 |
| Critical-error messages | 257 |
| Alphabetical printer messages | 258 |
| Numerical printer messages | 274 |
| Paper-path troubleshooting | 295 |
| Overview | 295 |
| Paper-jam recovery | 296 |
| Avoiding paper jams | 297 |
| Persistent jams | 298 |
| Media transport problems | 304 |
| Multiple pages feed | 304 |
| Paper is wrinkled or folded | 304 |
| Paper is skewed | 305 |

| | |
|---|-----|
| Image-formation troubleshooting | 306 |
| Print quality problems associated with media | 306 |
| Overhead transparency defects | 307 |
| Print quality problems associated with the environment | 307 |
| Print quality problems associated with jams | 307 |
| Image defects | 308 |
| Image defect tables | 311 |
| Repetitive defects troubleshooting | 325 |
| Troubleshooting the stacker and the stapler/stacker | 326 |
| Overview | 326 |
| Initial checks | 326 |
| Jam errors | 327 |
| Paper transport errors | 330 |
| Malfunction errors | 330 |
| Component errors | 331 |
| Printer component locations | 332 |
| Main printer parts | 332 |
| Printer switches and sensors | 336 |
| Printer motors and fans | 337 |
| Printer PCAs | 338 |
| Accessory component locations | 339 |
| 500-sheet feeder main parts | 339 |
| 500-sheet feeder switches, sensors, solenoids, and PCAs | 340 |
| 1,500-sheet feeder main parts | 341 |
| 1,500-sheet feeder switches, sensors, solenoids, and PCAs | 343 |
| Stapler/stacker stapler assembly | 344 |
| Stacker and stapler/stacker switches and sensors | 345 |
| Stacker and stapler/stacker motors and solenoids | 346 |
| Stacker and stapler/stacker PCAs | 347 |
| Printer and accessory wiring diagrams | 348 |
| DC controller block diagram | 356 |
| General timing diagrams | 357 |

8 Parts and diagrams

| | |
|---|-----|
| Ordering parts, supplies, and getting support | 362 |
| Ordering information | 362 |
| Related documentation and software | 362 |
| Support | 362 |
| Accessories and supplies | 364 |
| How to use the parts lists and diagrams | 367 |
| Parts diagrams and lists | 368 |
| Alphabetical parts list | 405 |
| Numerical parts list | 409 |

Index

List of figures

| | |
|---|-----|
| Figure 1. Printer physical dimensions | 6 |
| Figure 2. Sample cleaning page | 56 |
| Figure 3. Replacing the stapler unit (1 of 2). | 60 |
| Figure 4. Replacing the stapler unit (2 of 2). | 61 |
| Figure 5. Loading staples in the staple cartridge (stapler/stacker only). | 62 |
| Figure 6. DC controller PCA block diagram. | 69 |
| Figure 7. Power supply block diagram. | 71 |
| Figure 8. Fuser components | 71 |
| Figure 9. Fuser over-temperature protection circuit block diagram | 72 |
| Figure 10. High-voltage circuit block diagram | 73 |
| Figure 11. Low-voltage circuit block diagram | 74 |
| Figure 12. Laser/scanner assembly. | 76 |
| Figure 13. Laser control circuit block diagram | 77 |
| Figure 14. Printer paper pickup and feed block diagram | 78 |
| Figure 15. Paper pickup/feed and fuser/delivery block diagram | 79 |
| Figure 16. Tray 1 timing diagrams. | 80 |
| Figure 17. Tray 1 pickup | 81 |
| Figure 18. Tray 2 timing diagrams. | 82 |
| Figure 19. Multiple feed prevention | 84 |
| Figure 20. Correcting skewed media pages | 85 |
| Figure 21. Paper pickup/feed and fuser/delivery block diagram | 86 |
| Figure 22. 500-sheet feeder I/O block diagram | 90 |
| Figure 23. 500-sheet feeder pickup and feed diagram | 91 |
| Figure 24. 1,500-sheet feeder I/O block diagram | 92 |
| Figure 25. 1,500-sheet feeder pickup and feed diagram | 93 |
| Figure 26. 1,500-sheet feeder lifting mechanism. | 94 |
| Figure 27. Envelope feeder I/O block diagram | 95 |
| Figure 28. Envelope feeder pickup and feed diagram | 96 |
| Figure 29. Duplexer I/O block diagram | 98 |
| Figure 30. Duplexer pickup and reversing diagram | 99 |
| Figure 31. Stacker and stapler/stacker paper path | 101 |
| Figure 32. Power-on sequence for the stacker and stapler/stacker | 102 |
| Figure 33. Stacker driver PCA block diagram | 103 |
| Figure 34. Stacker feed delivery diagram | 104 |
| Figure 35. Stapler/stacker driver PCA block diagram | 106 |
| Figure 36. Stapler/stacker motors, solenoids, and sensors block diagram | 108 |
| Figure 37. Staple mode feed and delivery diagram (1 of 6). | 109 |
| Figure 38. Staple mode feed and delivery diagram (2 of 6). | 110 |
| Figure 39. Staple mode feed and delivery diagram (3 of 6). | 110 |
| Figure 40. Staple mode feed and delivery diagram (4 of 6). | 111 |
| Figure 41. Staple mode feed and delivery diagram (5 of 6). | 111 |
| Figure 42. Staple mode feed and delivery diagram (6 of 6). | 112 |
| Figure 43. Staple mode timing diagram. | 112 |
| Figure 44. Stapler unit I/O block diagram | 113 |
| Figure 45. Stapler unit | 114 |
| Figure 46. Staple operation (1 of 3). | 114 |
| Figure 47. Staple operation (2 of 3). | 115 |
| Figure 48. Staple operation (3 of 3). | 115 |
| Figure 49. Staple level detection | 116 |
| Figure 50. Image formation block diagram | 119 |
| Figure 51. Primary charging of the photosensitive drum | 120 |
| Figure 52. Writing the image to the photosensitive drum | 121 |
| Figure 53. Developing the image. | 122 |

| | |
|--|-----|
| Figure 54. Transferring the image | 123 |
| Figure 55. Fusing the image | 124 |
| Figure 56. Cleaning the transfer charging roller and photosensitive drum | 125 |
| Figure 57. Print cartridge memory chip | 126 |
| Figure 58. Location of printer, input trays, and cabinet wheel locks | 136 |
| Figure 59. Print cartridge (1 of 2) | 137 |
| Figure 60. Print cartridge (2 of 2) | 137 |
| Figure 61. Transfer roller | 138 |
| Figure 62. Tray 1 pickup roller (1 of 2) | 139 |
| Figure 63. Tray 1 pickup roller (2 of 2) | 139 |
| Figure 64. Tray 1 separation pad | 140 |
| Figure 65. Tray 2 feed rollers (1 of 4) | 141 |
| Figure 66. Tray 2 feed rollers (2 of 4) | 141 |
| Figure 67. Tray 2 feed rollers (3 of 4) | 142 |
| Figure 68. Tray 2 feed rollers (4 of 4) | 142 |
| Figure 69. Accessory covers (1 of 4) | 143 |
| Figure 70. Accessory covers (2 of 4) | 143 |
| Figure 71. Accessory covers (3 of 4) | 144 |
| Figure 72. Accessory covers (4 of 4) | 144 |
| Figure 73. Formatter cover | 145 |
| Figure 74. Top cover (1 of 5) | 146 |
| Figure 75. Top cover (2 of 5) | 146 |
| Figure 76. Top cover (3 of 5) | 147 |
| Figure 77. Top cover (4 of 5) | 147 |
| Figure 78. Top cover (5 of 5) | 148 |
| Figure 79. Right-side cover (1 of 4) | 149 |
| Figure 80. Right-side cover (2 of 4) | 149 |
| Figure 81. Right-side cover (3 of 4) | 150 |
| Figure 82. Right-side cover (4 of 4) | 150 |
| Figure 83. Left-side cover (1 of 2) | 151 |
| Figure 84. Left-side cover (2 of 2) | 151 |
| Figure 85. Tray 1 (1 of 6) | 152 |
| Figure 86. Tray 1 (2 of 6) | 152 |
| Figure 87. Tray 1 (3 of 6) | 153 |
| Figure 88. Tray 1 (4 of 6) | 153 |
| Figure 89. Tray 1 (5 of 6) | 154 |
| Figure 90. Tray 1 (6 of 6) | 154 |
| Figure 91. Rear output bin (1 of 2) | 155 |
| Figure 92. Rear output bin (2 of 2) | 155 |
| Figure 93. Control-panel overlay | 156 |
| Figure 94. Control-panel assembly (1 of 4) | 157 |
| Figure 95. Control-panel assembly (2 of 4) | 158 |
| Figure 96. Control-panel assembly (3 of 4) | 158 |
| Figure 97. Control-panel assembly (4 of 4) | 159 |
| Figure 98. Firmware DIMM | 160 |
| Figure 99. Formatter assembly | 161 |
| Figure 100. Fuser (1 of 2) | 162 |
| Figure 101. Fuser (2 of 2) | 162 |
| Figure 102. Output delivery assembly (rear view, formatter side; 1 of 2) | 163 |
| Figure 103. Output delivery assembly (2 of 2) | 164 |
| Figure 104. Duplexing pendulum assembly (1 of 2) | 165 |
| Figure 105. Duplexing pendulum assembly (2 of 2) | 166 |
| Figure 106. Tray 2 media-size sensor (1 of 2) | 167 |
| Figure 107. Tray 2 media-size sensor (2 of 2) | 167 |
| Figure 108. Main cooling fan (1 of 4) | 168 |
| Figure 109. Main cooling fan (2 of 4) | 168 |
| Figure 110. Main cooling fan (3 of 4) | 169 |
| Figure 111. Main cooling fan (4 of 4) | 169 |
| Figure 112. Cooling fan (HP LaserJet 4300 series only; 1 of 5) | 170 |
| Figure 113. Cooling fan (HP LaserJet 4300 series only; 2 of 5) | 170 |
| Figure 114. Cooling fan (HP LaserJet 4300 series only; 3 of 5) | 171 |
| Figure 115. Cooling fan (HP LaserJet 4300 series only; 4 of 5) | 171 |
| Figure 116. Cooling fan (HP LaserJet 4300 series only; 5 of 5) | 172 |
| Figure 117. Laser/scanner (1 of 4) | 173 |

| | |
|--|-----|
| Figure 118. Laser/scanner (2 of 4) | 173 |
| Figure 119. Laser/scanner (3 of 4) | 174 |
| Figure 120. Laser/scanner (4 of 4) | 174 |
| Figure 121. Print-cartridge motor (HP LaserJet 4300 series only; 1 of 2) | 175 |
| Figure 122. Print-cartridge motor (HP Laserjet 4300 series only; 1 of 2) | 176 |
| Figure 123. Main motor (1 of 3) | 177 |
| Figure 124. Main motor (2 of 3) | 177 |
| Figure 125. Main motor (3 of 3) | 178 |
| Figure 126. Tray 2 lifter-drive assembly (1 of 2) | 179 |
| Figure 127. Tray 2 lifter-drive assembly (2 of 2) | 180 |
| Figure 128. DC controller PCA (1 of 3) | 181 |
| Figure 129. DC controller PCA (2 of 3) | 182 |
| Figure 130. DC controller PCA (3 of 3) | 182 |
| Figure 131. Paper-pickup assembly (1 of 5) | 183 |
| Figure 132. Paper-pickup assembly (2 of 5) | 183 |
| Figure 133. Paper-pickup assembly (3 of 5) | 184 |
| Figure 134. Paper-pickup assembly (4 of 5) | 184 |
| Figure 135. Paper-pickup assembly (5 of 5) | 185 |
| Figure 136. Tray 2 drive gear and shaft. | 185 |
| Figure 137. Main drive assembly (1 of 2) | 186 |
| Figure 138. Main drive assembly (2 of 2) | 187 |
| Figure 139. Power supply (right side; 1 of 5) | 188 |
| Figure 140. Power supply (2 of 5) | 189 |
| Figure 141. Power supply (left side; 3 of 5) | 189 |
| Figure 142. Power supply (tray 2 cavity; 4 of 5) | 190 |
| Figure 143. Power supply (5 of 5) | 190 |
| Figure 144. Paper-feed belt assembly (1 of 2) | 191 |
| Figure 145. Paper-feed belt assembly (2 of 2) | 191 |
| Figure 146. Tray 1 pickup assembly (1 of 4) | 192 |
| Figure 147. Tray 1 pickup assembly (2 of 4) | 193 |
| Figure 148. Tray 1 pickup assembly (3 of 4) | 193 |
| Figure 149. Tray 1 pickup assembly (4 of 4) | 194 |
| Figure 150. Correct position of the tray 1 pickup assembly grounding spring. | 194 |
| Figure 151. Paper feed assembly (1 of 2) | 195 |
| Figure 152. Paper-feed assembly (2 of 2) | 196 |
| Figure 153. Correctly install the paper-feed assembly sensor flag | 197 |
| Figure 154. Registration assembly (1 of 3) | 198 |
| Figure 155. Registration assembly (2 of 3) | 198 |
| Figure 156. Registration assembly (3 of 3) | 199 |
| Figure 157. Transfer assembly (1 of 5) | 200 |
| Figure 158. Transfer assembly (left rear view; 2 of 5) | 201 |
| Figure 159. Transfer assembly (3 of 5) | 202 |
| Figure 160. Transfer assembly (4 of 5) | 202 |
| Figure 161. Transfer assembly (5 of 5) | 203 |
| Figure 162. Correct alignment of the left-side chassis. | 203 |
| Figure 163. 500-sheet feeder right-side cover (1 of 5) | 204 |
| Figure 164. 500-sheet feeder right-side cover (2 of 5) | 205 |
| Figure 165. 500-sheet feeder right-side cover (3 of 5) | 205 |
| Figure 166. 500-sheet feeder right-side cover (4 of 5) | 206 |
| Figure 167. 500-sheet feeder right-side cover (5 of 5) | 206 |
| Figure 168. 500-sheet feeder control PCA | 207 |
| Figure 169. 500-sheet feeder media-size sensor (1 of 2) | 208 |
| Figure 170. 500-sheet feeder media-size sensor (2 of 2) | 208 |
| Figure 171. 500-sheet feeder lifter-drive assembly (1 of 2) | 209 |
| Figure 172. 500-sheet feeder lifter-drive assembly (2 of 2) | 209 |
| Figure 173. 500-sheet feeder paper-pickup drive assembly (1 of 7) | 210 |
| Figure 174. 500-sheet feeder paper-pickup drive assembly (2 of 7) | 210 |
| Figure 175. 500-sheet feeder paper-pickup drive assembly (3 of 7) | 211 |
| Figure 176. 500-sheet feeder paper-pickup drive assembly (4 of 7) | 211 |
| Figure 177. 500-sheet feeder paper-pickup drive assembly (5 of 7) | 212 |
| Figure 178. 500-sheet feeder paper-pickup drive gear assembly (6 of 7) | 212 |
| Figure 179. 500-sheet feeder paper-pickup drive assembly (7 of 7) | 213 |
| Figure 180. 500-sheet feeder paper-pickup drive gear | 213 |
| Figure 181. 1,500-sheet feeder roller (1 of 2) | 214 |

| | |
|---|-----|
| Figure 182. 1,500-sheet feeder roller (2 of 2) | 214 |
| Figure 183. 1,500-sheet feeder door (1 of 3) | 215 |
| Figure 184. 1,500-sheet feeder door (2 of 3) | 215 |
| Figure 185. 1,500-sheet feeder door (3 of 3) | 216 |
| Figure 186. 1,500-sheet feeder rear cover (1 of 2) | 217 |
| Figure 187. 1,500-sheet feeder rear cover (2 of 2) | 217 |
| Figure 188. 1,500-sheet feeder right-side cover (1 of 3) | 218 |
| Figure 189. 1,500-sheet feeder right-side cover (2 of 3) | 218 |
| Figure 190. 1,500-sheet feeder right-side cover (3 of 3) | 219 |
| Figure 191. 1,500-sheet feeder control PCA (1 of 2) | 220 |
| Figure 192. 1,500-sheet feeder control PCA (2 of 2) | 220 |
| Figure 193. 1,500-sheet feeder media-size sensor | 221 |
| Figure 194. 1,500-sheet feeder lifter-drive assembly (1 of 4) | 222 |
| Figure 195. 1,500-sheet feeder lifter-drive assembly (2 of 4) | 223 |
| Figure 196. 1,500-sheet feeder lifter-drive assembly (3 of 4) | 223 |
| Figure 197. 1,500-sheet feeder lifter-drive assembly (4 of 4) | 224 |
| Figure 198. 1,500-sheet feeder paper-pickup drive assembly | 225 |
| Figure 199. Troubleshooting flowchart (1 of 2) | 234 |
| Figure 200. Troubleshooting flowchart (2 of 2) | 235 |
| Figure 201. Sample menu map page | 240 |
| Figure 202. Configuration page | 241 |
| Figure 203. Supplies status page | 242 |
| Figure 204. Engine test-page switch. | 254 |
| Figure 205. Jetdirect page | 256 |
| Figure 206. Jam locations. | 295 |
| Figure 207. Repetitive defect ruler | 325 |
| Figure 208. Stacker and stapler/stacker paper path. | 327 |
| Figure 209. Location of main printer parts (1 of 4) | 332 |
| Figure 210. Location of main printer parts (2 of 4) | 333 |
| Figure 211. Location of main printer parts (3 of 4) | 334 |
| Figure 212. Location of main printer parts (4 of 4) | 335 |
| Figure 213. Location of printer switches and sensors. | 336 |
| Figure 214. Location of printer motors and fans | 337 |
| Figure 215. Location of printer PCAs | 338 |
| Figure 216. Location of 500-sheet paper feeder main parts | 339 |
| Figure 217. Location of 500-sheet paper feeder switches, sensors, solenoids, and PCAs | 340 |
| Figure 218. Location of 1,500-sheet paper feeder main parts (1 of 2) | 341 |
| Figure 219. Location of 1,500-sheet paper feeder main parts (2 of 2) | 342 |
| Figure 220. Location of 1,500-sheet switches, sensors, solenoids, and PCAs. | 343 |
| Figure 221. Location of the stapler/stacker stapler unit | 344 |
| Figure 222. Location of the stacker and stapler/stacker switches and sensors | 345 |
| Figure 223. Location of the stacker and stapler/stacker motors and solenoids | 346 |
| Figure 224. Location of the stacker and stapler/stacker PCAs. | 347 |
| Figure 225. HP LaserJet 4200 wiring diagram | 348 |
| Figure 226. HP LaserJet 4300 wiring diagram | 349 |
| Figure 227. 500-sheet feeder wiring diagram | 350 |
| Figure 228. 1,500-sheet feeder wiring diagram | 351 |
| Figure 229. Duplex accessory wiring diagram | 352 |
| Figure 230. Envelope feeder accessory wiring diagram | 353 |
| Figure 231. Stacker accessory wiring diagram | 354 |
| Figure 232. Stapler/stacker accessory wiring diagram | 355 |
| Figure 233. DC controller connectors diagram | 356 |
| Figure 234. HP LaserJet 4200 general timing diagram. | 357 |
| Figure 235. HP LaserJet 4300 general timing diagram. | 358 |
| Figure 236. Stapler/stacker timing diagram | 359 |
| Figure 237. External covers and panels | 368 |
| Figure 238. Main assemblies (1 of 3) | 370 |
| Figure 239. Main assemblies (2 of 3) | 372 |
| Figure 240. Main assemblies (3 of 3) | 374 |
| Figure 241. Right-side assemblies | 376 |
| Figure 242. Power supply and paper feed belt assembly | 377 |
| Figure 243. Main drive assembly | 378 |
| Figure 244. Paper-pickup assembly | 379 |
| Figure 245. Duplexing pendulum assembly | 380 |

| | |
|---|-----|
| Figure 246. Tray 2 lifter driver assembly | 381 |
| Figure 247. Paper pickup assembly | 382 |
| Figure 248. Paper-feed assembly | 383 |
| Figure 249. Registration assembly | 384 |
| Figure 250. Tray 1 assembly | 385 |
| Figure 251. Output delivery assembly | 386 |
| Figure 252. Transfer assembly | 387 |
| Figure 253. Fuser | 388 |
| Figure 254. 500-sheet feeder external covers and panels | 390 |
| Figure 255. 500-sheet feeder main assemblies (1 of 2) | 391 |
| Figure 256. 500-sheet feeder main assemblies (2 of 2) | 392 |
| Figure 257. 500-sheet feeder paper-pickup drive assembly | 394 |
| Figure 258. 500-sheet feeder lifter driver assembly | 395 |
| Figure 259. 500-sheet tray. | 396 |
| Figure 260. 1500-sheet feeder external covers and panels | 397 |
| Figure 261. 1,500-sheet feeder main assemblies | 398 |
| Figure 262. 1,500-sheet feeder paper-pickup drive assembly. | 400 |
| Figure 263. 1,500-sheet feeder lifter-drive assembly | 401 |
| Figure 264. 1,500-sheet feeder paper-pickup assembly | 402 |
| Figure 265. Stacker and stapler/stacker | 403 |
| Figure 266. Stacker and stapler/stacker | 404 |

List of tables

| | |
|---|-----|
| Table 1. Product configurations | 3 |
| Table 2. Printer weights | 7 |
| Table 3. Power consumption | 7 |
| Table 4. Circuit requirements | 8 |
| Table 5. Acoustic ratings | 8 |
| Table 6. General specifications | 8 |
| Table 7. Tray 1 Media specifications | 10 |
| Table 8. Tray 2 and 500-sheet feeder media specifications | 11 |
| Table 9. 1,500-sheet feeder media specifications | 11 |
| Table 10. Duplex accessory media specifications | 12 |
| Table 11. Envelope feeder accessory | 12 |
| Table 12. Stacker or stapler/stacker accessory | 13 |
| Table 13. Paper weight equivalents | 15 |
| Table 14. Technical support websites | 28 |
| Table 15. Control-panel lights | 36 |
| Table 16. Control-panel buttons | 37 |
| Table 17. Settings and defaults | 38 |
| Table 18. Retrieve job menu | 41 |
| Table 19. Information menu | 41 |
| Table 20. Paper-handling menu | 42 |
| Table 21. Printing submenu | 44 |
| Table 22. PCL submenu | 45 |
| Table 23. Print quality submenu | 46 |
| Table 24. System setup submenu | 49 |
| Table 25. Stapler stacker submenu | 51 |
| Table 26. I/O submenu | 52 |
| Table 27. Cleaning the printer | 55 |
| Table 28. Maintenance kit part numbers | 58 |
| Table 29. Component life expectancies and part numbers | 59 |
| Table 30. Basic printer operating sequence | 67 |
| Table 31. Printer fans and motors | 70 |
| Table 32. Tray 2 and 500-sheet feeder media size switch settings | 83 |
| Table 33. 1,500-sheet feeder media size switch settings | 83 |
| Table 34. Stacker components | 104 |
| Table 35. Stapler/stacker components | 107 |
| Table 36. Common fasteners used in this product | 134 |
| Table 37. Initial troubleshooting checklist | 232 |
| Table 38. Power-on defect or blank display | 237 |
| Table 39. Resets submenu | 247 |
| Table 40. Diagnostics menu | 248 |
| Table 41. Alphabetical printer messages | 258 |
| Table 42. Numerical printer messages | 274 |
| Table 43. Common causes of paper jams | 297 |
| Table 44. Causes of tray 1 jams | 301 |
| Table 45. Causes of tray 2 jams | 301 |
| Table 46. Causes of tray 3 and or tray 4 jams | 302 |
| Table 47. Causes of paper-path jams | 303 |
| Table 48. Causes of duplex path jams | 303 |
| Table 49. Causes for multiple pages feeding | 304 |
| Table 50. Causes for wrinkled or folded paper (part one, paper path entrance) | 304 |
| Table 51. Causes for wrinkled or folded paper (part two, paper path exit) | 304 |
| Table 52. Causes for skewed paper | 305 |
| Table 53. Image quality checks | 308 |

| | |
|---|-----|
| Table 54. Print quality image defects | 311 |
| Table 55. Light print (partial page) | 313 |
| Table 56. Light print (entire page) | 313 |
| Table 57. Specks or dots | 314 |
| Table 58. Drop outs and character voids | 315 |
| Table 59. Lines | 316 |
| Table 60. Grey background | 317 |
| Table 61. Loose toner or toner smear | 317 |
| Table 62. Repeating defects and repeating images | 318 |
| Table 63. Distorted images | 318 |
| Table 64. Skew | 319 |
| Table 65. Curl or wave | 319 |
| Table 66. Creases | 319 |
| Table 67. White lines | 320 |
| Table 68. Smudged lines (either direction) | 320 |
| Table 69. White spots on black | 321 |
| Table 70. Scattered lines | 321 |
| Table 71. Blurred print | 321 |
| Table 72. Black page | 322 |
| Table 73. Blank (or white) page | 323 |
| Table 74. Dark print | 324 |
| Table 75. Repetitive defects | 325 |
| Table 76. Printer connection area jam troubleshooting | 328 |
| Table 77. Delivery area jam troubleshooting | 329 |
| Table 78. Paper transport error troubleshooting | 330 |
| Table 79. Malfunction error troubleshooting | 330 |
| Table 80. Component error troubleshooting | 331 |
| Table 81. Technical support websites | 362 |
| Table 82. Paper-handling accessories | 364 |
| Table 83. Memory, fonts, and mass storage | 365 |
| Table 84. Cables and interfaces | 365 |
| Table 85. Printer maintenance kit and exchange parts | 366 |
| Table 86. Documentation | 367 |
| Table 87. External covers and panels | 369 |
| Table 88. Main assemblies (1 of 3) | 371 |
| Table 89. Main assemblies (2 of 3) | 373 |
| Table 90. Main assemblies (3 of 3) | 375 |
| Table 91. Right-side assemblies | 376 |
| Table 92. Power supply and paper-feed belt assembly | 377 |
| Table 93. Main drive assembly | 378 |
| Table 94. Paper-pickup assembly | 379 |
| Table 95. Duplexing pendulum assembly | 380 |
| Table 96. Tray 2 lifter driver assembly | 381 |
| Table 97. Paper pickup assembly | 382 |
| Table 98. Paper-feed assembly | 383 |
| Table 99. Registration assembly | 384 |
| Table 100. Tray 1 assembly | 385 |
| Table 101. Output delivery assembly | 386 |
| Table 102. Transfer assembly | 387 |
| Table 103. Fuser | 389 |
| Table 104. 500-sheet feeder external covers and panels | 390 |
| Table 105. 500-sheet feeder main assemblies (1 of 2) | 391 |
| Table 106. 500-sheet feeder main assemblies (2 of 2) | 393 |
| Table 107. 500-sheet feeder paper-pickup drive assembly | 394 |
| Table 108. 500-sheet feeder lifter driver assembly | 395 |
| Table 109. 500-sheet tray | 396 |
| Table 110. 1500-sheet feeder external covers and panels | 397 |
| Table 111. 1,500-sheet feeder main assemblies | 399 |
| Table 112. 1,500-sheet feeder paper-pickup drive assembly | 400 |
| Table 113. 1,500-sheet feeder lifter-drive assembly | 401 |
| Table 114. 1,500-sheet feeder paper-pickup assembly | 402 |

| | |
|--|-----|
| Table 115. Stacker and stapler/stacker | 403 |
| Table 116. Stacker and stapler/stacker | 404 |
| Table 117. Alphabetical pars list | 405 |
| Table 118. Numerical pars list | 409 |